

	Application No.	Applicant(s)
Notice of Allowability	10/728,425	INOGUCHI ET AL.
	Examiner	Art Unit
	Alicia M. Harrington	2873
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendmetn filed on 10/24/06</u> .		
2. The allowed claim(s) is/are <u>3-7</u> .		
 3.		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. ⊠ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7.	e nent/Comment
Paper No./Mail Date 1006 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	•

DETAILED ACTION

Information Disclosure Statement

The Examiner has considered the information disclosure statement filed on 10/24/06.

Allowable Subject Matter

Claims 3-7 are allowed.

The following is an examiner's statement of reasons for allowance: Prior art taken either singularly or in combination fails to anticipate or fairly suggest the image display apparatus comprising each of the first and second optical systems is arranged in a plane symmetry with respect a plane perpendicular to the central axis as in claim 3; at least one of the plurality of reflective surfaces is a decentered curved surface as in claim 4; at least one of the plurality of reflective surfaces is a rotationally asymmetric surface as in claim 5; wherein an intermediated image is formed within each of the first and second optical system as in claim 6; wherein a third surface which reflects the inversely trace light reflected by the second surface back to the second surface as in claim 7.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alicia M. Harrington whose telephone number is 571 272 2330. The examiner can normally be reached on Monday - Friday 9:00-5:30.

Application/Control Number: 10/728,425 Page 3

Art Unit: 2873

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Mack can be reached on 571 272 2333. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Alicia M Harrington

Primary Examiner

Art Unit 2873

AMH